



Created: KHoward February 2023 | Reviewed & approved by Board: February 2023
Next Review: February 2025

Sickness and Medication Policy **(Whole School including EYFS)**

This policy reflects the guidance given to schools by the Department for Education. Parents have the prime responsibility for their children's health and must provide the school with information about any relevant medical needs.

Section 1 – Sickness

Please take note of the following exclusions:

Condition	Action Required
Antibiotics	Antibiotics can be administered by the classteacher when appropriate medication forms are signed.
Asthma	If your child has asthma we must be notified and they must have an inhaler in school together with an Asthma Healthcare Plan. We can give two puffs but if we are worried that this does not work we will contact you immediately. If the school has been unable to contact you and the episode/asthma attack progresses after the first 2 puffs, the school will administer 2 puffs every 2 minutes up to 10 puffs in this emergency situation. At any time before this event an ambulance can be called before 10 puffs have been reached. Following the Department of Health guidelines issued in September 2014, a Salbutamol inhaler is kept in the school office, permission from the parents can be granted so that the child can use this inhaler in emergencies. All parents are informed. Please note that if a child has more than three episodes in school requiring an inhaler they will be deemed as not managing their asthma and referred to a GP by their parent/carer.
Chicken Pox	Consult your doctor and advise the school of the diagnosis. Keep your child at home for a minimum of 5 days from the onset of the rash. Spots should be dry and your child should feel well again before returning to school.



Conjunctivitis	Children must be home until this is treated and they are free of all symptoms. There should be at least 48 hours of treatment before they return to school. Coughs and colds Although inevitable and not serious, young children can feel very poorly and will be unable to work. Coughs and colds spread rapidly so children should be kept at home until well enough to participate fully in activities.
COVID-19	Please use the guidance of the government's website for current information as the pandemic changes. The school may implement guidance for parents/carers to enhance the safety of pupils from time to time via email; please ensure you can access all emails from the school.
Croup	Croup is usually fairly mild but can make children very unwell in some cases. Children must be kept at home until completely well. It usually lasts for 3 days but the cough can persist for a week or so.
Cuts	Deep cuts should receive medical attention. Tetanus vaccinations should be kept up to date in case of cuts from rusty metal, contamination from soil etc.
Flu	Keep children at home until fully recovered. NHS offer vaccinations to the School.
Fractures	We can have children in school with arms/legs in plaster provided that they can cope physically i.e. manage any stairs and take themselves to the toilet. This will require individual assessment as circumstances arise. Health & Safety Officer (Headteacher or School Administrator) informed.
German Measles	Consult your doctor and advise the school of the diagnosis. Children should be kept at home for a minimum of 3 to 4 days from the onset of the rash, and are infectious until the rash disappears.
Hand, Foot & Mouth Disease	Children should be kept at home until the blisters have gone. The illness is usually fairly mild but it can take 7 to 10 days for the blisters to disappear. Children are still infectious until the blisters have gone.
Head Lice	Hair should be treated appropriately and inspected again 7/10 days later. Your child will be sent home if head lice are noticed. Impetigo Children should be kept at home until the infection has cleared or until 48 hours of treatment has



	been given. If it is suspected that a child in school has impetigo, we will ask you to consult your doctor.
Measles	This is a notifiable disease. Consult your doctor and advise school of the diagnosis. Keep at home for a minimum of 4 days from the onset of the rash. Children are still infectious until the rash has disappeared.
Meningitis	This is variable depending upon the type. Consult your doctor and advise school of the diagnosis. Children must be certified well by their GP before returning to school.
Mumps	This is a notifiable disease. Consult your doctor and advise school of the diagnosis. Keep at home for a minimum of 5 days from the onset of the symptoms or until the swelling has totally subsided.
Rashes	If a rash appears please consult your doctor before sending your child to school and please advise the school of the diagnosis. If a rash appears during school time we will send the child home.
Ringworm	Children with ringworm do not need to stay off school. However, you should inform the school your child has the condition. In addition to the treatment your child should maintain a good level of personal hygiene to prevent the infection spreading. It should be covered for PE.
Scabies	Scabies treatment is usually recommended for members of the same household, particularly for those who have had prolonged skin-to skin contact. You should consult your GP and children can usually return to school the day after treatment.
Scarlet Fever (Strep A)	Consult your doctor and advise the school of the diagnosis. Children with scarlet fever must be kept away from school until they have been on a course of antibiotics for at least 48 hours.
Sickness and/or diarrhoea	Children MUST be kept at home for a full 48 hours following any sickness or diarrhoea. This is to prevent the rapid and inevitable spread of infection and to allow them time to recover. If a child is sick or has a bout of diarrhoea they will be sent home.



Slapcheek (Human Parvovirus)	There is no need to keep your child at home, but you should consult your doctor and advise school of the diagnosis.
Temperatures	Children with a temperature should be kept at home. Calpol can only be administered in school as a mild pain relief and not as fever control.
Threadworm	This is easily remedied, and children can return to school once treated. Pharmacists can recommend appropriate medications.
Tonsillitis	This can be viral or bacterial. It can be spread easily so children need to be kept at home until symptoms ease to avoid passing on infection.
Tuberculosis	Consult your GP and advise the school of diagnosis. Children should remain off school until declared free from infection.
Verrucae	Children should wear a protective sock whilst swimming or for PE, otherwise should not participate in barefoot activities until clear.
Whooping Cough	This is a notifiable disease. Consult your doctor and advise the school of the diagnosis. Keep at home for a minimum of 21 days from onset of paroxysmal cough unless treated with antibiotic when child may return after a minimum of 5 days' treatment and only if the child is well enough.

Section 2 – Medical Conditions and Medication

Introduction

Most children will need medication at some time in their school life. Although this will mainly be for short periods, (e.g., to finish a course of antibiotics), there are a number of pupils with chronic/allergic conditions, who may need regular medication throughout all/part of their school life. It is often possible for parents to arrange for medication to be taken outside school hours; however, there will be circumstances when it will be necessary for children attending school to be given medication during the school day.

There is no legal duty that requires staff to administer medicines and medicines should only be taken to school when essential. Staff have a duty of care to act like any reasonably prudent parent. This duty of care may lead to administering medicine and/or taking action in an emergency. It should be



recognised that some children would be unable to attend unless such 'duty of care', i.e., medication was made available during school hours.

Aim

The aim of this policy is to effectively support individual children with medical needs and to enable pupils to achieve regular attendance.

Overview

- Parents are encouraged to administer medicines to their children outside of the school day, e.g. antibiotics can be administered three times a day from home.
- Medicines will only be administered at school when there is no other alternative and when failure to do so may be of detriment to the child's health.
- Parents must complete the Request for School to Administer Medication Form before medicines are administered at school.
- Staff must keep a record of any medicines administered at school in the medicine log.
- Medicines will be kept in labelled containers in the Quiet Room in a locked refrigerator or locked cupboard
- Confidentiality - The school will not disclose details about a child's medical condition without the consent of the parents or the child him/herself. All parties should agree how much other children are told about a child's medical condition.

Duty of Care and Assessment of Risk

- Staff administering medication on behalf of the school are deemed to be acting in 'loco parentis' in terms of their duty of care.
- Some children may suffer from conditions such as Diabetes or Anaphylaxis, and in some cases may require the administration of life saving medication in an emergency.
- The school trains staff who may be required to administer medication in these life threatening circumstances on a regular basis.
- With adequate training, the potential risks of administering medication should be minimal compared with the risk to the child if medication is not given, or is delayed, in a life-threatening situation.



- If the school accepts a child with a rare, chronic or life-threatening condition, the parents must provide detailed information on how the condition can be managed in school.

This will include:

- advice from the child's GP and/or paediatrician;
- procedure/s to be followed in an emergency;
- medication / day to day and food management (where relevant).

Absence

Parents should not send a child to school if he/she is unwell. If a child is ill and not attending school, the parents must telephone the School Office on the first day of absence and keep the school informed on an ongoing basis. If a child has been given medication at home before they attend school, parents/carers should disclose this by email. The school must be advised of any infectious diseases that could be passed on to other pupils. If a child is signed off by their GP, parents should let the school know how long he/she will be away from school.

Training

The school recognises the need for staff required to administer medication by injection or invasive routes to receive adequate training. A record of all medical training will be kept. It is important that all staff likely to come into contact with a child who has a condition that may require urgent medical attention should receive sufficient information and/or awareness training to enable them to recognise symptoms of the condition and take appropriate action in the event of an emergency.

Staff have access to regular training on the use of epipens (adrenaline) in the event of severe allergic reactions. In the event of a child with specific medical needs joining, the school may seek advice on training needs from the local authority. Epipen awareness training will take place in school.

New members of staff are made aware of these procedures during their induction within the first term of employment. There are numerous first-aiders staff with varying qualifications and lists are published in the school.

Medication

Schools should only accept prescribed medicines if these are in-date, labelled, provided in the original container as dispensed by a pharmacist and include instructions for administration, dosage and storage. The exception to this is insulin, which must still be in date, but will generally be available to schools inside an insulin pen or a pump, rather than in its original container.



A supply of over the counter medications such as Calpol, Ibuprofen and Piriton are kept securely in the School Office and given out when appropriate. Parental consent is always sought. Prescription medicines will be given by the member of staff who has the appropriate training, usually the School Nurse. Pupils' own medication can be brought in and kept with the School Administrator. Parents are asked to provide full written details of administration of the medication. Medication is stored in accordance with instructions. Medication is clearly labelled with the pupil's name, in the original container with the expiry date visible and prescriber's instructions for administration. Pupils with asthma pumps keep these in the classroom under the supervision of the staff in that classroom. In preparation for school residential trips parents sign a form if they consent to their son/daughter being given over the counter medication. Medication is reviewed regularly and at least annually. The Key Teacher will meet with parents of children with asthma plans to check the right instructions have been given to school. All pupil medical records are reviewed at the start of the school year when new consent forms are issued.

Parents are encouraged to administer medicines to their children outside of the school day.

Staff administering medication on behalf of the school are deemed to be acting 'in loco parentis'.

The need to take medication during the school day

Staff will not give prescription medicines without the appropriate training.

The following pupils may require medication whilst at school:

- those who have suffered an acute medical condition but are regarded by a doctor as fit to return to school provided a prescribed medicine is taken
- those who suffer certain chronic or life-threatening conditions (e.g., anaphylaxis, asthma, diabetes) but can satisfactorily attend school provided they are given a regular dose of medicine, or medication is available in an emergency. Care plans will be put in place.
- those children who suffer occasional discomfort, such as toothache/headache, who may require analgesics (i.e., pain relievers)

Procedures for managing prescription medicines that need to be taken during the school day

Parents are required to complete the '*Request for School to Administer Medication*' Form if they wish the school to administer medication. This details the medication, frequency, dosage and any other relevant information. Oral information from the child/parent cannot be acted upon.



The school will normally only accept medicines that have been prescribed by a doctor, dentist, nurse prescriber or pharmacist prescriber. Where possible, not more than one week's supply should be sent at any time.

Medicines must always be provided in the original container and include the prescriber's instructions for administration. The school will not accept medicines that have been taken out of the container as originally dispensed or make changes to dosages on parental instructions. The container should be clearly labelled with:

- the child's name
- the name of the medicine
- the method, dosage and timing of administration
- the issue date and expiry date.

The school will maintain records of all medicines received and returned to parents. A daily record of each dose given must be kept to avoid overdose. The record should be signed with:

- the name of the child
- the name of the medication
- the dosage administered
- the time the medication was given.

Medicines must be kept in a safe place and at the correct temperature, separate from the 'general' first aid box. They must be stored in strict accordance with the instructions on the original packaging. All emergency medicines, such as asthma inhalers and adrenaline pens, should be readily accessible to staff and children in the appropriately pre-agreed locations and should not be locked away. Medicines no longer required must be handed back to the parent.

Where clinically appropriate, it is helpful if medicines are prescribed in dosages that enable them to be taken outside school hours. Medicines that need to be taken three times a day could be taken in the morning, after school hours and at bedtime.

Procedures for managing prescription medicines on trips

The school encourages children with medical needs to participate in educational trips, and will consider reasonable adjustments to enable all children to participate fully and safely. This might include writing risk assessments for specific children.



Staff supervising excursions will always be aware of any medical needs and relevant emergency procedures. Any health care plans and prescribed medication will be taken on trips in case of emergency.

A member of staff who has received basic first aid training will always accompany any educational visit. First aid facilities will form part of the Risk Assessment conducted by the Visit Leader.

Procedures for managing prescription medicines during sporting activities

Any restrictions on a child's ability to participate in sport will be recorded in their Individual Health Care Plan. All adults will be aware of issues of privacy and dignity for children with particular needs.

Some children may need to take precautionary measures before or during exercise and some may need immediate access to specific medicines, such as inhalers. All staff need to be aware of individual Health Care Plans, and ensure that the appropriate medication is readily available during all lessons, whether in the hall, playground or off site.

Staff responsibilities for managing medicines

Medicine will only be administered by the school when essential; that is where it would be detrimental to a child's health if medicine were not administered during the school 'day'. If in any doubt, staff must check with the parent/s before taking further action, or discuss the concern with the School Administrator (Health & Safety Coordinator).

No child will be given medicines without a parent's written consent. Any member of staff giving medicines to a child must check:

- the child's name
- prescribed dose
- expiry date
- written instructions provided by the prescriber on the label or container

Staff administering the medication must complete and sign the Medicines Register (kept in the Office) each time they administer medication

Parental responsibilities for managing their child's medical needs

Parents must inform the school about any particular needs before a child is admitted or when a child first develops a medical need.



Parents should make every effort to arrange for medicines to be administered outside of the school day, or to come into school and administer medicines themselves. If necessary, it must be a parent (or any person with parental responsibility) who gives consent for medicines to be administered by the school during the day. The permission form must be completed prior to any medicines being administered.

Parents are responsible for checking the expiry date of medication and replacing asthmatic inhalers and epipens as required.

If a child requires creams applied to his/her skin (e.g. for eczema cream or sunscreen) parents should administer them before school. The *'Request for School to Administer Medication' Form* should be completed if medicated cream is required to be applied during the school day for a specific reason.

Assisting children with long-term or complex medical needs

Where a child has a long-term medical need, e.g., allergies or asthma, a written Health Care Plan will be drawn up between the School and the parent/s and on the advice of health professionals. An 'Allergies' register and an 'Asthma' register is kept in the School Office containing all the relevant details/information on each child's Health Care Plan. Copies are also kept by the pupils' class teachers and in the pupils' confidential files.

If your child has asthma and requires an inhaler to be held at school, please provide a spare pump so that we can hold it for use in any after school clubs that your child may attend. It is also then available as a replacement should the inhaler run out during use.

A salbutamol inhaler and 2 AAI are kept in the school office for those children with consent, for use in case of emergency.

Parents must inform the school about any particular needs before a child is admitted or when a child first develops a medical need.

Health Care Plan

Children requiring regular medication, such as for asthma, hay fever or allergies, must have a Health Care Plan. This should be completed and returned to the School Administrator without delay.

Record keeping

In all cases where medicine is to be administered by a member of staff, parents must complete and return the *'Request for School to Administer Medication' Form* to ensure that details of medicines are



recorded. Staff should check that any details provided by parents, paediatricians or specialist nurses are consistent with the instructions on the medicine container.

The school will keep a record of any medicines administered by staff in the School Medical Register. This record will be completed by the member of staff administering the medicine.